


Revision 12.05.20



Introduction

The Skylight Ovedrive is designed to push an already distorted amplifer, or provide light overdrive to a clean amp tone.

Controls

- Volume Controls the overall output volume
- **Distort** Controls the amount of distortion
- Texture Interactive control of clipping and overall EQ
- **Z** Controls the variable input impedance load

All trademarks and registered trademarks are the property of their respective owners. The company, product, and service names used in this web site are for identification purposes only. Use of these names, logos, and brands does not imply endorsement.



RESISTORS

3M

1K

1M

1M

5K6

14K7

470R

1K8

47K

47K

470R

1K3

5K1

47R

4K7

14K7

14K7

R1

R2

R3

R4

R5

R6

R7

R8

R9

R10

R11

R12

R13

R14

R15

R16

R17

Skylight Overdrive

Parts List

CAPACITORS

4n7

220n

100p

100n

220n

100n

100u

1u (Film)

1u (Film)

1u (Film)

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

POTENTIOMETERS	
VOLUME	B50K
DIST	A1M
TEXTURE	B1K
Ζ	A500K

TRANSISTORS

Q1	2N3819
Q2	2N3819

INTEGRATED CIRCUITS

IC1 OP275


DIODES

D1	3mm Red LED
D2	3mm Red LED

D3 1N5817


Common offboard components (enclosure, footswitch, jacks, etc) are not listed







Skylight Overdrive Wiring Diagram





Skylight Overdrive Drill Template 125B enclosure with top mounted jacks

